Discrete Mathematics 104 (1992) 329–330
North-Holland

Author index to volume 104 (1992)

Archdeacon, D., The medial graph and voltage-current duality (2) 111–141
Beasley, L.B. and N.J. Pullman, Linear operators that strongly preserve graphical properties of matrices (2) 143–157
Cai, M., A remark on the number of vertices of degree k in a minimally k-edge-connected graph (3) 221–226
Caro, Y., On zero-sum Ramsey numbers—stars (1) 1– 6
Chen, W.Y.C. and G.-C. Rota, q-Analogs of the inclusion-exclusion principle and permutations with restricted position (1) 7– 22
Conforti, M. and M.R. Rao, Articulation sets in linear perfect matrices I: forbidden configurations and star cutsets (1) 23– 47
De Launey, W., Generalised Hadamard matrices which are developed modulo a group (1) 49– 65
De Resmini, M.J., see Phelps, K.T. (3) 273–280
Enomoto, H., H. Mizutani and N. Tokushige, A word problem in Artin semigroups (2) 159–166
Fröberg, R., A characterization of k-trees (*Note*) (3) 307–309
Griggs, J.R. and M. Wu, Spanning trees in graphs of minimum degree 4 or 5 (2) 167–183
Hamada, N. and T. Helleseth, A characterization of some $\{2v_{\alpha+1}+v_{\gamma+1}, 2v_{\alpha}+v_{\gamma}; k-1, 3\}$-minihypers and some $(n, k, 3^{k-1}-2\cdot 3^{\alpha}-3^{\gamma}; 3)$-codes $(k\geq 3,\ 0\leq \alpha < \gamma < k-1)$ meeting the Griesmer bound (1) 67– 81
Hartman, A. and Z. Yehudai, Intersections of Steiner quadruple systems (3) 227–244
Helleseth, T., see Hamada, N. (1) 67– 81
Jia, X.F., see Qiu, Y. (2) 201–204
Kochol, M., The notion and basic properties of M-transversals (*Note*) (2) 191–196
Kohayakawa, Y. and J. Wojciechowski, On small graphs with highly imperfect powers (3) 245–261
Lindner, C.C. and C.A. Rodger, 2-Perfect m-cycle systems (1) 83– 90
Li, N.-Z. and E.G. Whitehead Jr, The chromatic uniqueness of W_{10} (*Note*) (2) 197–199
Lorimer, P.J. and W. Solomon, The Ramsey numbers for stripes and complete graphs 1 (1) 91– 97
McQuillan, D. and R.B. Richter, On the crossing numbers of certain generalized Petersen graphs (*Note*) (3) 311–320
Mizutani, H., see Enomoto, H. (2) 159–166
Niederhausen, H., Fast Lagrange inversion, with an application to factorial numbers (1) 99–110
Oral, H., Self-orthogonal codes with distance four are not rigid (3) 263–271
Phelps, K.T. and M.J. de Resmini, Partitioning twofold triple systems into complete arcs (3) 273–280
Pullman, N.J., see Beasley, L.B. (2) 143–157
Qiu, Y. and X.F. Jia, The maximum size of graphs satisfying a degree condition (*Note*) (2) 201–204
Rao, M.R., see Conforti, M. (1) 23– 47
Richter, R.B., see McQuillan, D. (3) 311–320
Rodger, C.A., see Lindner, C.C. (1) 83– 90
Rota, G.-C., see Chen, W.Y.C. (1) 7– 22
Sachs, H., see Wang, T. (3) 281–292
Servatius, H., An Artin relation of length n in the braid group (2) 185–189
Shi, Y., The number of edges in a maximum cycle-distributed graph (*Note*) (2) 205–209
Solomon, W., see Lorimer, P.J. (1) 91– 97

Sun, Z.-W., On disjoint residue classes (*Note*) (3) 321–326
Tokushige, N., see Enomoto, H. (2) 159–166
Wagner, D.G., On the perfect one-factorization conjecture (*Note*) (2) 211–215
Wang, T. and H. Sachs, A contribution to the theory of Tutte's V- and W-function (3) 281–292
Whitehead Jr, E.G., see Li, N.-Z. (2) 197–199
Wiseman, J.A., On the intersection rank of a graph (3) 293–305
Wojciechowski, J., see Kohayakawa, Y. (3) 245–261
Wu, M., see Griggs, J.R. (2) 167–183
Xu, S., The chromatic uniqueness of complete bipartite graphs (*Corrigendum*) (2) 217
Yehudai, Z., see Hartman, A. (3) 227–244
Yu, X., Ends in spanning trees (*Note*) (3) 327–328